

Article 11. Voted: To raise and appropriate the sum of \$40,598.00 for the construction and/or improvement of Town roads as designated by the Board of Selectmen, said funds to be reimbursed to the Town by the Commonwealth as the Town's 1977 fiscal year allotment under chapter 765 of the Acts of 1972.

Article 12. Voted: To raise and appropriate the sum of \$4,000.00 to be expended by the Town Manager, for the construction of sidewalks.

Article 13. Voted: To raise and appropriate the sum of \$23,850.00 to be expended by the Town Manager for the purchase and equipping of three cruisers for the police department and three compact cars for town departments and authorize the Town Manager to trade in six of the present Town vehicles.

Article 14. Voted: To raise and appropriate the sum of \$21,000.00 to be expended by the Town Manager for the purchase of a fire alarm maintenance vehicle.

Article 15. Motion: To raise and appropriate the sum of \$13,000.00 to be expended by the Town Manager for the purchase and equipping of a sidewalk plow for the Highway Department.

Motion Lost.

Article 16. Voted: To raise and appropriate \$26,500.00 to be expended by the Town Manager for expenses and capital outlay costs for the reconditioning, construction, improvement and equipping of the Town's septage disposal area.

Article 17. Voted: To raise and appropriate \$70,000.00 for a study to assess the need and determine the best alternatives for waste water management within the Town and to authorize the Town Manager to apply for a grant for such purposes from the United States Government under the provisions of Public Law 92-500, Federal Water Pollution Control Act Amendments of 1972.

Total Vote: 279. Yes - 154 No - 125

Article 18. Voted: To accept Chapter 41, section 100G of the Massachusetts General Laws.

Article 19. To see if the Town will amend the Zoning Bylaw, Section VB, Intensity Regulation Schedule District and Uses, by adding the following subparagraph 7:

Access Width: the diameter of the largest circle whose center can be located along a continuous line from the lot frontage to the principal structure on the lot without the circumference intersecting side lot lines.

and by adding the following entries in the Intensity Regulation Schedule under the heading Minimum Access Width:

V-B INTENSITY REGULATION SCHEDULE DISTRICT AND USES

		Minimum Access Width
R-1	All Residential and Agricultural Uses	75
	All other uses	75
R-2	All Residential and Agricultural Uses	75
	All other uses	75